


Food Grade Chain Oils



For the Bakery, Meat & Poultry,
Pharmaceutical, Beverage & Brewery
and Packaging Industries



We stand for:



Customer First Approach



Technical Leadership




Quality Products




Expensive Part Protection



Increased Machine Efficiency



Minimised Downtime



Energy Savings



Cost Savings

Why choose VICKERLUBE FG?

Dedicated Manufacturing Facility

Having a dedicated Food Grade lubricant manufacturing facility can offer:

- 1) Enhanced Safety and Compliance
- 2) Rigorous quality control processes
- 3) Efficient manufacturing processes
- 4) Innovation and development of new and improved lubricants
- 5) Increased customer confidence



Certified Quality

Our products are NSF H1 registered for incidental food contact, NSF 3H registered for direct food contact and NSF ISO 21469 registered ensuring the highest safety standards.

Allergen-Free Assurance

Compliant with EU regulation No. 1169/2011, Annex II, and FDA 21 CFR, our lubricants contain no allergenic food ingredients or animal derivatives.



Commitment to Sustainability

Our Research and Development team in Leeds is dedicated to developing sustainable and cost-effective solutions. To explore our Environmental, Social and Governance (ESG) initiatives and learn more about our commitment to sustainability, read our sustainability report.



VICKERLUBE Centre

This tailored storage solution helps you to keep your VICKERLUBE FG products safely stored ensuring audit compliance with a lockable cage for aerosols.



Site Audits

Our Technical experts will conduct a site audit and generate a report using the Vickers Oils audit scoring system. They will then identify key areas of improvement and recommend the best solutions including products, ongoing technical support and training.

Comprehensive Documentation

Access all necessary certifications and documentation, including PDS, SDS, Halal, and Kosher certificates, through our compliance manuals, website or Vickers InSite lubrication management app.



Food Grade Registrations and Certifications

Vickers Oils Food Grade Lubricants and Greases are manufactured according to ISO 9001;2015 and ISO 21469 standards, are Halal and Kosher certified and NSF H1, 3H and ISO 21469 registered. They contain no allergenic food ingredients in compliance with EU regulation No. 1169/2011, Annex II and are PFAS free.



NSF

VICKERLUBE FG products are NSF H1 & 3H registered. This means that our lubricants are safe for incidental contact with food as well as for use on surfaces which can come in direct contact with food.



NSF ISO 21469

Our dedicated Food Grade manufacturing facility is certified in accordance with the international standard NSF ISO 21469.

This standard determines the hygienic requirements for the formulation, manufacturing and storage of lubricants that may have incidental or direct contact with food products, thereby assuring that our products meet the highest safety standards.



PFAS

Vickers Oils continue to set the standard in the lubricant industry by taking a proactive approach with PFAS free formulations for the VICKERLUBE FG range, reinforcing our commitment towards sustainability.



Halal and Kosher

VICKERLUBE FG lubricants are Halal and Kosher certified meeting the stringent requirements of both Jewish and Muslim laws. These certifications ensure the highest standards of product and food safety.



Allergens

Compliant with EU regulation No. 1169/2011, Annex II, and FDA 21 CFR, VICKERLUBE FG lubricants contain no allergenic food ingredients or animal derivatives, making them safe for all food processing applications.





208L 20L 1000L

VICKERLUBE FG CHAIN OIL 100

Food Grade ISO 100 Wear Resistant Chain Oil




VICKERLUBE FG CHAIN OIL 100 is a high performance food grade chain lubricant, with anti-wear and EP additives registered to H1 for incidental contact with foodstuffs for use in and around food, beverage and pharmaceutical processing and production areas.

Applications include:

- All chain types
- Sprockets
- Oil lubricated bearings
- Valves
- Multipurpose lubrication including central lubricators

FEATURE	BENEFIT
Excellent wear protection	Elongates chain life
Oxidation and corrosion inhibited	Increases oil life and protects chain against corrosion
Excellent water resistance	Elongates chain life



208L 20L 1000L

VICKERLUBE FGS CHAIN OIL Series

Food Grade Synthetic ISO 220 and 320
Wear Resistant Chain Oil



The VICKERLUBE FGS CHAIN OIL series are high performance, synthetic food grade chain oils registered to H1 for incidental contact with foodstuffs for use in and around food, beverage and pharmaceutical processing and production areas

Applications include:

- All chain types
- Drives and sprockets
- Oil lubricated bearings
- Valves
- Multipurpose lubrication including central lubricators

FEATURE	BENEFIT
Excellent adhesive characteristics	Superb non-drip lubricant for overhead applications
Excellent wear protection and water resistance	Elongates chain life
Oxidation and corrosion inhibited	Increases oil life and protects chain against corrosion



208L 20L 1000L

VICKERLUBE FGS HT CHAIN OIL Series

Food Grade Synthetic ISO 220 and 320
High Temperature Wear Resistant Chain Oil



The VICKERLUBE FGS HT CHAIN OIL series are high performance, high temperature, self-cleaning food grade chain oils registered to H1 for incidental contact with foodstuffs for use in and around food, beverage and pharmaceutical processing and production areas.

- Applications include:**
- High temperature oven chains
 - All chain types
 - Drives and sprockets
 - Oil lubricated bearings
 - Valves
 - Multipurpose lubrication including central lubricators

FEATURE	BENEFIT
Excellent high temperature resistance	Reduced lube usage in ovens
No carbon deposits, self cleaning	Reduced downtime and maintenance costs
Excellent wear protection and water resistance	Elongates chain life
Oxidation and corrosion inhibited	Increases oil life & protects chains against corrosion



208L 20L 1000L

VICKERLUBE FGS LT CHAIN OIL

Food Grade Synthetic Low Temperature
Chain Oil.




VICKERLUBE FGS LT CHAIN OIL is a fully synthetic, high-performance lubricant, registered to NSF H1 and designed for the lubrication of chains and conveyors operating in extremely cold environments.

- Applications include:**
- Chains and conveyors in refrigerated storage and freezing tunnels
 - Food and beverage processing in cold rooms
 - Bakery and meat packaging lines
 - Automatic lubrication systems in low-temp environments
 - Any light-duty chain-driven equipment requiring an ISO 15 H1 lubricant

FEATURE	BENEFIT
Extreme temperature resistance	Extends lubrication intervals
Excellent water resistance	Prolonged component life
Good air release properties	Enhanced lubricity and extended component life
Excellent wear protection	Extends spool valve and component life
Oxidation and corrosion resistance	Increases oil life and protects system against corrosion




Choosing the correct Food Grade Chain Oil

Characteristics	VICKERLUBE FG CHAIN OIL 100	VICKERLUBE FGS CHAIN OIL 220	VICKERLUBE FGS CHAIN OIL 320	VICKERLUBE FGS HT CHAIN OIL 220	VICKERLUBE FGS HT CHAIN OIL 320	VICKERLUBE FGS LT CHAIN OIL
Appearance	Clear and Bright	Clear and Bright	Clear and Bright	Clear yellow liquid	Clear yellow liquid	Clear and Bright
Viscosity at 40°C (cSt)	100	220	320	220	320	15
Viscosity Index	99	–	–	156	156	129
Density at 15°C (g/cm³)	–	0.86	0.86	–	–	0.82
Flash Point (°C)	>225	>220	>220	>285	>285	>175
Pour Point (°C)	-27	-42	-39	<-21	<-21	<-65
Copper Strip Corrosion 3h @100°C	1b	1a	1a	1a	1a	1b
Steel Corrosion	Pass	Pass	Pass	Pass	Pass	Pass
4 Ball Weld Scar Diameter (mm)	0.38	0.31	0.36	<0.5	<0.45	0.37
Temperature Range (°C)	-5 to 140	-20 to 160	-20 to 160	-20 to 270	-20 to 270	–
Shelf Life	5 years in original sealed containers whilst stored out of direct sunlight.	5 years in original sealed containers whilst stored out of direct sunlight from the date of manufacture	5 years in original sealed containers whilst stored out of direct sunlight from the date of manufacture	5 years in original sealed containers whilst stored out of direct sunlight, from the date of manufacture	5 years in original sealed containers whilst stored out of direct sunlight, from the date of manufacture	5 years in original sealed containers whilst stored out of direct sunlight, from the date of manufacture
208L Drum 	40747-208	40761-208	40729-208	40831-208	40857-208	40858-208
20L Pail 	40747-020	40761-020	40729-020	40831-020	40857-020	40858-020
1000L IBC 	40747-001	40761-001	40729-001	40831-001	40857-001	40858-001



AUSTRALASIA



Scan the QR code and use our product selector to see the complete food grade range



VICKERS OILS (AUSTRALASIA) PTY LTD.

Registered Office
111/193 South Pine Road,
Brendale, Queensland
Australia 4500

ABN 77 636 243 340

Tel: +61 (0) 408 729 761
Email: sales.au@vickers-oil.com
Web: www.vickers-oil.com.au

Follow us on



A company of **BENJ[®] R. VICKERS & SONS LTD.**